Honeywell

Visualizza Altri

CODICE PRODOTTO: 1012900

XC Blu, Lenti Giallo HDL, Antiappannamento

Presentazione generale

Reference Number
1012900

Gamma
Occhiali a stanghetta

Line
Occhiali Monolente

Marchio
Sperian

Marchio precedentemente noto come
PULSAFE

Settore

- Edilizia e Costruzioni
- Esercito e Difesa
- Industria meccanica / metalmeccanica
- Industria chimica e farmaceutica
- Energia
- Fonderia
- Area Verde
- Polizia e Carabinieri
- Industria siderurgica
- Manutenzione
- Sanità
- Offshore
- Petrolchimica
- Trattamento delle acque - Municipalizzate
- Laboratorio
- Cantieri navali
- Industria generica

Utilizzo del prodotto
Occhiale con lente in policarbonato a 9 punti di curvatura per la protezione da particelle in movimento; test di resistenza all'impatto effettuato con una sfera d'acciaio di 6 mm di diametro scagliata ad una velocità di 45 m/s. Idoneo per protezione da rischio meccanico, es.: molatura, tornitura, fresatura, lavorazione del legno, e ovunque vi sia il rischio di urti o proiezione di schegge. Protezione da UV, aumenta il contrasto in condizioni di scarsa luminosità.

Funzioni e vantaggi

Caratteristiche
Lenti avvolgenti a 9 punti di curvatura.

Vantaggi
Fornisce una totale copertura del viso e assicura un'eccezionale visione periferica e una protezione totale. L'ampia scelta di 13 lenti diverse permette di adottare la soluzione adatta per ogni tipo di applicazione.

Caratteristiche
Le stanghette e le lenti sono regolabili attraverso il nasello flessibile. Montatura superflessibile. Lenti facili da sostituire : le lenti possono essere cambiate senza dover sostituire l'intera montatura per una maggiore durata del prodotto e un maggiore risparmio.

Vantaggi
Perfetta aderenza al viso e protezione globale. Si adatta a tutte le conformazioni del viso, sia maschile sia femminile. Garantisce un'ottima vestibilità.

Caratteristiche
Tecnologia Multi-Materiale - MMT. Un innovativo materiale soffice a doppio strato ricopre tutte le componenti che poggiano direttamente sul viso (l'arcata, il nasello e le stanghette).

Vantaggi
La pressione sul viso è ridotta per un eccezionale comfort lungo tutta la giornata.

Descrizione tecnica

Tipo di occhiali
occhiali a stanghetta

Colorazione lente
Giallo HDL

Rivestimento delle lenti
Antiappannamento

Colore montatura
Blu

Frame Material
Plastica

Design dielettrico
No

Certificazioni

Dichiarazione di conformità CE

Categoria DPI
5

Numero certificazione CE
EC1144

Attestato CE
EC Attestation

Numero attestato CE
0194

Foto e immagini

Spiacenti, al momento non sono disponibili immagini

Honeywell

Visualizza altri siti Honeywell Safety
© 2011 Honeywell International Inc.

INSPEC

CE

EC TYPE-EXAMINATION CERTIFICATE: 1144

Product description: - Eye Protection – Eyeshield

Product identification: - SperianXC

Manufacturer:
Sperian Eye and Face Protection Inc.
10 Thurber Boulevard
Smithfield
RI 02917
U S A

When assessed and examined against harmonised standards EN166:2001, EN169:2002, EN170:2002 and EN172:1994 is found to be in conformity with Council Directive 89/686/EEC and associated amendments, relating to personal protective equipment.

Authorised EU Representative: -
Sperian Protection Europe (SAS)
ZI Paris Nord II
33 Rue des Vanesses, BP 50 288
95958 Roissy CDG cedex
France

Signed **Date: 15th October 2003**

K J Warren, Manager, Certification Services

For and on behalf of INSPEC International Ltd.
56 Leslie Hough Way, Salford, Gt Manchester M6 6AJ
England (Notified Body No: 0194)

certificate invalid
if not embossed

For terms and conditions of issue, see page 2

Terms and Conditions

Reference Documents: -

i)	Test Report	-	INSPEC 03.08.22 – 27, 03.10.13, 04.02.34, 04.06.03, 04.11.55 – 60, 05.04.62, 06.11.36, 09.01.50
ii)	Technical File	-	TF/1144 & TF/0930
iii)	Quality Plan	-	Sperian Eye & Face Protection, Inc QP EN 166

Conditions attached to the issue of this certificate:

i) Marking and instructions have been assessed in the English language only. It is the Manufacturers/Authorised Representatives responsibility to obtain and supply language versions acceptable to the country where the product is to be sold.

ii) Any changes to the product, technical file or quality manual/quality plan shall be immediately notified to INSPEC.

iii) The Manufacturer/Authorised Representative shall comply at all times with INSPEC's Regulations governing CE Product Certification.

iv) This Certificate remains the property of INSPEC and may be withdrawn if any of the conditions attached to its issue are not complied with.

CERTIFICATION INDEX

Item	Issued	Status	Amendment
Page 1 of 2	15/10/03	Withdrawn	-
Page 2 of 2	15/10/03	Withdrawn	-
Page 2 of 2, Amendment: ONE	06/04/04	Withdrawn	Add green shade 2.5
Page 2 of 2, Amendment: TWO	15/06/04	Withdrawn	Add report 04.06.03
Page 2 of 2, Amendment: THREE	30/11/04	Withdrawn	Add report 04.11.55-60
Page 2 of 2, Amendment: FOUR	03/05/05	Withdrawn	Add report 05.04.62
Schedule ONE	15/10/03	Withdrawn	-
Schedule TWO	06/04/04	Withdrawn	Add green shade 2.5
Schedule THREE	15/06/04	Withdrawn	Add 2C-1.2 to clear lenses
Schedule FOUR	30/11/04	Withdrawn	Add Cappucino, Welding, TCG
Schedule FIVE	03/05/05	Withdrawn	Add 1.7/HC
Schedule SIX	21/07/06	Withdrawn	Add private labels
Certificate, pages 1 – 4	15/11/06	Withdrawn	'K' added to SKU 101 0950
Certificate, pages 1 – 4	02/07/08	Withdrawn	Name change to SPERIAN & removal of K against all models except 1016076
Certificate, pages 1 – 4	27/01/09	Withdrawn	Addition of new coatings K & N
Certificate, pages 1 – 4	26/02/09	Withdrawn	Renaming to private label
Certificate, pages 1 – 4	090612	Withdrawn	Addition of model 31-80141 & Removal of coatings K & N
Certificate, pages 1 – 4	090803	Withdrawn	Addition of model 1018270
Certificate, pages 1 – 4	090825	Valid	Addition of model 1029082 and include red frame.

CERTIFICATION SCHEDULE

Product:

SPERIAN XC™ eyeshield, red, navy blue or black frame, Duo-Flex temple

Model	Optical Class	Lens Type	Scale	Options	Logo
1010950	1	Clear HC	2C-1.2	FT	SPERIAN
1011027	1	Clear Fogban	2C-1.2	FT	SPERIAN
1011025	1	TSR Gray AF	5-2.5	FT	SPERIAN
1011022	1	Silver mirror	5-3.1	FT	SPERIAN
1011026	1	TSR Gray HC	5-2.5	FT	SPERIAN
1011020	1	Shade 5 HC	5	FT	SPERIAN
1011024	1	Amber HC	2-1.2	FT	SPERIAN
1011023	1	I-O silver	5-1.7	FT	SPERIAN
1011021	1	Shade 3.0 HC	3.0	FT	SPERIAN
1012100	1	Green 2.5, 6-2.5 HC	2.5, 5-2.5/6-2.5	FTK	SPERIAN
1012910	1	TCG/HC	5-3.1	FT	SPERIAN
1012877	1	1.7/HC	1.7	FT	SPERIAN
1012879	1	Cappucino AF	5-2.5	FT	SPERIAN
1012878	1	Cappucino HC	5-2.5	FT	SPERIAN
1012902	1	Welding 6.0	6.0	FT	SPERIAN
1012901	1	Welding 4.0	4.0	FT	SPERIAN
1012900	1	Amber AF	2-1.2	FT	SPERIAN
1016076	1	Clear HC	2-1.2	FTK	SPERIAN
1018270	1	Clear Flowcoated	2C-1.2	FTKN	SPERIAN
1015564	1	Clear Fogban	2C-1.2	FT	Private label
1015565	1	TSR Gray AF	5-2.5	FT	Private label
1015567	1	Clear Fogban	2C-1.2	FT	Private label
1028101	1	Clear Fogban	2C-1.2	FT	Private label
1028100	1	Clear HC	2C-1.2	FT	Private label
1029082	1	Shade 3.0 HC	3.0	FT	Private label
31-80133	1	Shade 3.0 HC	3.0	FT	SPERIAN
31-80134	1	Shade 5 HC	5	FT	SPERIAN
31-80141	1	Shade 4.0 HC	4.0	FT	SPERIAN

Key:-

1 - optical class
FT - High speed particles at extreme temperature, LOW energy (EN166:2001 clause 7.2.8)
K - Resistance to damage by fine particles (EN166:2001 clause 7.3.1)
N - Resistance to damage by fogging (EN166:2001 clause 7.3.2)

Additional replacement lenses

Model	Lens Type
1011013	Clear HC
1011015	Clear Fogban
1011016	TSR Gray HC
1011017	TSR Gray Fogban
1011012	Silver Mirror
1011018	HDL Yellow HC
1011019	I/O Silver
1015250	Shade 1.7 HC
1011010	Shade 3.0 HC
1010949	Shade 5 HC

CERTIFICATION/TEST REPORT RECEIPT FORM

DATE RECEIVED: ~~August~~ September, 2009

PRODUCT: XC

CERTIFICATION ☑ TEST REPORT ☐

SIGNATURES

Q.A. MANAGER

DIRECTOR QUALITY SYSTEMS

DIRECTOR R & D:

Dichiarazione di conformità CE

Il produttore o il suo rappresentante legale nella CE:
Honeywell Safety Europe

Dichiara che il Dispositivo di protezione individuale qui descritto è conforme alle Direttive Europee 89/686/CEE:
Designazione: XC Blu, Lenti Giallo HDL, Antiappannamento
Riferimento: 1012900
Normative: EN166, EN170

Questo Dispositivo di protezione individuale è l'oggetto della certificazione CE riportata di seguito:
EC1144

Consegnata da:
INSPEC
56 Leslie Hough Way
Salford
M6 6AJ
Greater Manchester
United Kingdom
+44 (0)12 96 68 29 66

Redatta in , in data 24/10/2012
Per:
Divisione: Protezione della testa

Zl Paris Nord II 33, rue des Vanesses BP 50288 95958 Roissy CDG France
Tel: +33 (0) 49 90 79 79 Fax: +33 (0)1 49 90 79 80
www.honeywellsafety.com